1: LID-DRIVEN CAVITY SIMULATED CFD

INTRODUCTION

Lid-Driven Cavity is a standard problem of computational fluid dynamics (CFD) used as verification for numerical methods and elucidating the flow of fluids between enclosed spaces. This is an original problem that includes a square enclosure with a free surface that causes flow and vortex and other flow patterns at the top surface of the lid.

ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque non elit mauris. Cras euismod, metus ac finibus finibus, felis dui suscipit purus, a maximus leo ligula at dolor. Morbi et malesuada purus. Phasellus a lacus sit amet urna tempor sollicitudin. Cras pretium tempor elit blandit egestas.

ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque non elit mauris. Cras euismod, metus ac finibus finibus, felis dui suscipit purus, a maximus leo ligula at dolor. Morbi et malesuada purus. Phasellus a lacus sit amet urna tempor sollicitudin. Cras pretium tempor elit blandit egestas.

CONCLUSION

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Quisque non elit mauris. Cras euismod, metus ac finibus finibus, felis dui suscipit purus, a maximus leo ligula at dolor. Morbi et malesuada purus. Phasellus a lacus sit amet urna tempor sollicitudin. Cras pretium tempor elit blandit egestas.

RECOMMENDATION

This case is just a sample partail case solution. Please place the order on the website to order your own orignally done case solution.